

# SAFETY DATA SHEET

**Date Issued :** 4/10/2012  
**MSDS No :** M-1000-010  
**Date Revised :** 7/25/2012  
**Revision No :** 2

## Aluminum Metal Pieces

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Aluminum Metal Pieces  
**GENERAL USE:** Physical vapor deposition of thin films  
**GENERIC NAME:** Aluminium

#### MANUFACTURER

Kurt J Lesker Company  
United States  
1925 Route 51  
Jefferson Hills, PA 15025  
**Customer Service:** 412-387-9200  
**E-Mail:** msds@lesker.com  
Kurt J Lesker Company LTD  
United Kingdom  
15-16 Burgess Road  
Hastings, East Sussex, TN35 4NR  
England  
**Customer Service:** +44 (0) 1424 458100

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

24-Hour Emergency Response provided by  
3E Global Incident Response Hotline

When calling, refer to Kurt J Lesker Company  
Global Response Access Code: 333594

North America [USA, Canada, Mexico]: 1-866-519-4752

Mainland China: (+86) 4001 2001 74

Europe: {int'l call prefix}-1-760-476-3961

Asia Pacific: {int'l call prefix}-1-760-476-3960

Middle East & Africa: {int'l call prefix}-1-760-476-3959

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

##### Health:

This substance or mixture is not hazardous and is not classified under GHS.

#### EMERGENCY OVERVIEW

**PHYSICAL APPEARANCE:** Silvery-white metal

**IMMEDIATE CONCERNS:** Negligible fire or explosion hazard in bulk form. Powdered material may form explosive dust-air mixtures.

#### POTENTIAL HEALTH EFFECTS

**EYES:** Contact may cause eye irritation.

**SKIN:** May cause skin irritation.

**INGESTION:** Low ingestion hazard in normal use.

**INHALATION:** May be harmful if inhaled. May cause respiratory irritation.

#### REPRODUCTIVE TOXICITY

**REPRODUCTIVE EFFECTS:** Not Available

**TERATOGENIC EFFECTS:** Not Available

**CARCINOGENICITY:** Not listed as a human carcinogen

**MUTAGENICITY:** Not Available

**MEDICAL CONDITIONS AGGRAVATED:** None expected.

**ROUTES OF ENTRY:** Inhalation, ingestion, eye contact, or skin contact.

**IRRITANCY:** May cause irritation of skin, eyes, and respiratory tract.

**PHYSICAL HAZARDS:** This substance is not considered hazardous in the form supplied. Dusts at sufficient concentrations can form explosive mixtures with air.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Aluminum	100	7429-90-5

### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** Rinse mouth. Get medical advice/attention. Low ingestion hazard in normal use.

**INHALATION:** No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**SKIN:** May cause dermatitis.

**CHRONIC EFFECTS:** Not Available

### 5. FIRE FIGHTING MEASURES

**FLAMMABLE CLASS:** Noncombustible except as a powder.

**EXTINGUISHING MEDIA:** Do not use water because of violent reaction. Do not use carbon dioxide or graphite. Use a Class D dry powder extinguisher, dry sand, or sodium chloride.

**EXPLOSION HAZARDS:** Dusts at sufficient concentrations can form explosive mixtures with air.

**FIRE FIGHTING PROCEDURES:** As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Clean up spills immediately, observing precautions in Protective Equipment section.

**LARGE SPILL:** Collect spilled material in appropriate container. Spill may be reportable . Consult section 15 for Reportable Quantities.

#### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water.

**GENERAL PROCEDURES:** Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources if safe to do so. Avoid formation of dust. Provide appropriate exhaust ventilation where dust is formed. Avoid breathing (dust, vapor, mist, gas). Practice good chemical hygiene during and after use. Avoid release to the environment.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** To avoid risks to human health and the environment, comply with the instructions for use.

**HANDLING:** Keep away from heat and flame. Avoid formation of dust. Provide appropriate exhaust ventilation where dust is formed. Do not breath (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.

**STORAGE:** Keep container closed when not in use. Store in a cool dry place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear safety glasses.

**SKIN:** Wear protective gloves.

**RESPIRATORY:** Not normally needed. If ventilation is inadequate and this material is handled at elevated temperatures or dusts/fumes/mists are generated a NIOSH/MSHA approved air purifying respirator with a manufacturers approved cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

**WORK HYGIENIC PRACTICES:** Practice good chemical hygiene during and after use.

### COMMENTS:

COMPONENT EXPOSURE LIMITS

Component	Location, Type	Values (mg/m <sup>3</sup> )
Aluminum	ACGIH TWA (Total)	10
	ACGIH TWA (Respirable)	5
	ACGIH TLV-TWA (Respirable)	1
	NIOSH REL TWA (Total)	10
	NIOSH REL TWA(Respirable)	5
	OSHA OEL TWA (Total)	15
	OSHA OEL TWA (Respirable)	5
	Europe TWA (Inhalable)	10
	Europe TWA (Respirable)	5
	Denmark TWA (Inhalable)	5
	Denmark TWA (Respirable)	2
	Germany TWA (Inhalable)	4
	Germany TWA (Respirable)	1.5
	Australia, NZ, Singapore TWA	10
	UK WEL TWA (Inhalable)	10
UK WEL TWA (Respirable)	4	

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**PHYSICAL STATE:** Solid

**ODOR:** None

**COLOR:** Silver-white

**PERCENT VOLATILE:** NA = Not Applicable

**FLASH POINT AND METHOD:** NA = Not Applicable

**FLAMMABLE LIMITS:** NA = Not Applicable

**AUTOIGNITION TEMPERATURE:** NA = Not Applicable

**BOILING POINT:** 2327°C

**MELTING POINT:** 660°C

**SOLUBILITY IN WATER:** Insoluble

**DENSITY:** 2.70

**MOLECULAR WEIGHT:** 26.98

**10. STABILITY AND REACTIVITY**

**STABLE:** Yes

**HAZARDOUS POLYMERIZATION:** No

**HAZARDOUS DECOMPOSITION PRODUCTS:** Toxic metal fumes

**INCOMPATIBLE MATERIALS:** Mercury, Halocarbons, Halogens, Oxidizing materials, Strong acids, Strong bases.  
Powder is incompatible with water.

**11. TOXICOLOGICAL INFORMATION****ACUTE**

**DERMAL LD<sub>50</sub>:** Not Available

**ORAL LD<sub>50</sub>:** Not Available

**INHALATION LC<sub>50</sub>:** Not Available

**CARCINOGENICITY**

**IARC:** Not listed

**NTP:** Not listed

**OSHA:** Not listed

**REPRODUCTIVE EFFECTS:** Not Available

**TERATOGENIC EFFECTS:** Not Available

**MUTAGENICITY:** Not Available

**12. ECOLOGICAL INFORMATION**

**BIOACCUMULATION/ACCUMULATION:** 56 day Bioconcentration Factor (BCF) = 36 (Salvelinus fontinalis)

**AQUATIC TOXICITY (ACUTE)**

**96-HOUR LC<sub>50</sub>:** .120 mg/L (Oncorhynchus mykiss)

**CHEMICAL FATE INFORMATION:** Not Available

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of according to applicable federal, state, provincial, and local regulations.

**PRODUCT DISPOSAL:** Material may be recyclable.

**EMPTY CONTAINER:** Follow all MSDS/label precautions even after container is emptied because it may retain product residues.

### 14. TRANSPORT INFORMATION

#### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME:** Not Regulated

#### ROAD AND RAIL (ADR/RID)

**PROPER SHIPPING NAME:** Not Regulated

#### AIR (ICAO/IATA)

**SHIPPING NAME:** Not Regulated

#### VESSEL (IMO/IMDG)

**SHIPPING NAME:** Not Regulated

#### CANADA TRANSPORT OF DANGEROUS GOODS

**SHIPPING NAME:** Not Regulated

### 15. REGULATORY INFORMATION

#### UNITED STATES

##### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No

##### TSCA (TOXIC SUBSTANCE CONTROL ACT)

**TSCA STATUS:** All components of this product are included in inventory, exempt, or notified

#### REGULATIONS

##### STATE REGULATIONS:

The following components appear in one or more of the following state hazardous substances lists

Component	CAS	CA	MA	MN	NJ	PA	RI
Aluminum	7440-90-5	No	Yes	No	Yes	Yes	No

**CALIFORNIA PROPOSITION 65:** This product is not known to contain any components for which the State of California has found to cause cancer, birth defects or other reproductive harm.

#### CANADA

**WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):** Not Regulated

**DOMESTIC SUBSTANCE LIST (INVENTORY):** All components of this product are included in inventory, exempt, or notified

**GENERAL COMMENTS:** All components of this product are included in inventory, exempt, or notified: USA TSCA, Philippines PICCS, Korean KECL, European EINECS, Canadian DSL

## 16. OTHER INFORMATION

**APPROVED BY:** EHS DEPT

**PREPARED BY:** E Bolton


**INFORMATION CONTACT:** msds@lesker.com

**REVISION SUMMARY:** This MSDS replaces the 4/23/2012 MSDS.

### HMIS RATING

<b>HEALTH</b>	<input type="text" value="0"/>	<b>0</b>
<b>FLAMMABILITY</b>	<input type="text" value="1"/>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<input type="text" value="0"/>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<input type="text" value="B"/>	<b>B</b>

### NFPA CODES



### MANUFACTURER DISCLAIMER:

Kurt J. Lesker Company ("KJLC") believes the information contained in this Material Safety Data Sheet is accurate as of the "Date of Last Revision" specified. The information relates only to typical properties of the product. Do not use the information for product performance or specification purposes. The information is for use by technically skilled persons at their own risk. KJLC MAKES NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR THE INFORMATION. The information may not be valid for product use in combination with any other product or material or in any process. KJLC expressly disclaims any liability arising from any use of the product or any reliance on the information. Do not treat the information (a) as assurance that use of the product will not infringe patent or other rights or (b) as a license or grant of patent or other property rights. "KJLC" means KJLC and each of its subsidiaries.